

## DEPARTMENT OF THE ENVIRONMENT AIR QUALITY DIVISION

## APPLICATION FOR PERMIT TO CONSTRUCT/OPERATE GAS CLEANING OR EMISSION CONTROL EQUIPMENT

	Name of owner(s)	or principa	al partner(s)	of abo	ve c	organiza	tion				
	Mailing address of	`(1b) (No.	, Street, Cit	y, State	e, Zi	p)					
	Equipment location	n address									
	<u> </u>	10				(4b)	- c c c ·	1.77:1			
Signature of Owner/Operator				Official Title							
	Type or print name	ahove				(4d)	Emerge	ency pho	ana no		
									Business)		
Type of Application (check one)											
	Initial application (existing unit)	0	New unit (to be insta			Chang existin	e in O g unit		Change owner registered unit	0	
	Major activity at th	nis location	(check one	)							
O Mining O Quarry O Contract O M construct			O Ma	Manufacturing O Other(Specify)							
	O Public Services	O Retail/ Trade	Wholesale		0	School Church			Hospital or Lab		OOffice
	O Laundry Dry Cleaner	O Hotel/ Motel			0	Enterta (theatr	ainment e, etc.)	0	Warehouse		ONursi Home
	O Residential Apartments	No. un	its using fue	el burn	ing	equipme	ent	0	Other Specify	-	
	Date of		Date construction began:			Date construction completed:					

Type of gas cleaning or emission control equipment:						
O Baghouse/Fabric filter						
Baghouse manufacturer: Model:						
Does the baghouse exhaust to the atmosphere?						
Yes, indicate the stack height above ground, ft: Inner diameter at exit, ft: Exit gas temperature, °F: Exit gas volume through stack, acfm:						
O No, indicate to where it exhausts:						
How do you intend to monitor the operation of this baghouse?  O Pressure drop Recording frequency:  O Other:						
Type of fabric: Air to Cloth Ratio: :						
Emissions data: Data based on Outlet concentration: Manufacturer's data October Stack test (Date of CO2						
Does the baghouse have a pressure drop gauge?  O Yes, typeO No Gas pressure drop:(minimum)(maximum) inches of water column)  Removal efficiency of baghouse:%						
O Afterburner (Thermal or Catalytic Oxidizer)						
Afterburner manufacturer: Model:						
Does the afterburner exhaust to the atmosphere?						
Yes, indicate the stack height above ground, ft:  Exit gas temperature, °F:  Exit gas volume through stack, acfm:						
No, indicate to where it exhausts:						
How do you intend to monitor the operation of this afterburner?  O Combustion temperature O Inlet and outlet temperature O Other:						
Does the afterburner have continuous temperature strip? O Yes O No						
How will you keep records? O Continuous hardcopy readout O Manual readings. Interval:						
O ivianuai readings. intervai.						

III.	Other type:  Equipment Manufacturer and Model No.:										
	Monitoring Parameter	'S:			Unit: Unit:						
Remo	oval Efficiency:										
(10)	Emissions Data: Data based on Other:	Manufacturer's data	. O	Stack test (Tes	est date:	_ )					
	Pollutant(s) Controlled	Inlet Pollutant Concentration (gr/acfm or ppm)	Capture Efficiency (%)		Outlet Pollutant Concentration (gr/acfm or ppm)	Removal Efficiency (%)					
	Burner fuel type:  Burner heat input:  Check one and comple	million BTU/hr									
	Thermal Oxidizer Combustion chamber Residence time:  Total gas volume:	Combustion chamber volume  Residence time:		Catalytic Oxidizer Type of catalyst Minimum temperature of gas stream entering the catalyst bed:  Order  Order  OF							
	Minimum operating temperature:  Overall control efficiency:			catalyst bed:	temperature of flue gate: trol efficiency	as leaving the  F  %					

## NOTE:

- 1. Deviations from approved plans and specifications are not permissible without securing the formal approval of the District Department of the Environment, Air Quality Division.
- 2 The complete application and applicable supporting documentation must be submitted to the following address:

Air Quality Division 1200 First Street NE, 5th Floor Washington, DC 20002